

**DEVELOP**

Dynamic balance


[www.develop.eu](http://www.develop.eu)



# ineo 4000P



- > Black & white A4 printer
- > Up to 40 ppm



Finishing functionalities



Duplex

## ineo 4000P

Laser printer with 40 ppm b/w.  
Standard Gigabit Ethernet, PCL 5/6, PostScript 3 and XPS support. Paper capacity of 250 sheets and 100-sheet manual bypass. Media from A6 to A4 and 60 – 163 g/m<sup>2</sup>. Up to 1.28 GB memory (256 MB standard).

PF-P11 Paper tray	A5–A4, 250 sheets, 60–120 g/m <sup>2</sup>
PF-P12 Paper tray	A5–A4, 550 sheets, 60–120 g/m <sup>2</sup>
SCD-4000e Copier desk	Ensures ergonomic height and provides storage space for print media, etc.

512 MB Memory extension	For faster processing
1 GB Memory extension	For faster processing
UK-P01 User flash	256 MB User flash for storing fonts, forms and macros or to save job account log
UK-P02 Barcode card	Printer-based electronic barcode engine
UK-P03 IPDS card	Provides compatibility for IPDS printing
NC-P01 Wireless LAN	Wireless LAN to network connector
EH-C591 Convenience stapler	Convenient stapling of up to 50 prints per set
CU-201 Air cleaning unit	Improves indoor air quality by reducing emissions

## Technical specifications

## SYSTEM SPECIFICATIONS

System memory	256 MB (standard) 1.28 GB (optional)
Interface	10-Base-T/100-Base-TX/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11b/g/n (optional)
Network protocols	TCP/IP (IPv4 / IPv6); AppleTalk (EtherTalk); TCP; UDP
Printable paper size	A6–A4, customised paper sizes
Printable paper weight	60–163 g/m <sup>2</sup>
Paper input capacity	Standard: 350 sheets Max.: 2,000 sheets
Paper tray 1	250 sheets, A6–A4, 60–120 g/m <sup>2</sup>
Paper tray 2 (optional)	250 or 550 sheets, A5–A4, 60–120 g/m <sup>2</sup>
Paper tray 3 (optional)	250 or 550 sheets, A5–A4, 60–120 g/m <sup>2</sup>
Paper tray 4 (optional)	250 or 550 sheets, A5–A4, 60–120 g/m <sup>2</sup>
Manual bypass	100 sheets, A6–A4, custom sizes, 60–163 g/m <sup>2</sup>
Automatic duplexing	A4; 60–90 g/m <sup>2</sup>
Output capacity	Max.: 150 sheets
Print volume (monthly)	Rec.: 6,500 pages Max. <sup>(1)</sup> : 80,000 pages
Toner lifetime	Up to 20,000 pages
Imaging unit lifetime	Up to 60,000 pages
Power consumption	220–240 V / 50/60 Hz; less than 600 W
System dimensions (W x D x H)	399 x 382 x 263 mm
System weight	Approx. 15 kg

## PRINTER SPECIFICATIONS

Printing process	Electrostatic laser
Print speed A4	Up to 40 ppm
Autoduplex speed A4	Up to 18 ppm
1st print out time	6.5 sec.
Print resolution	1,200 x 1,200 dpi
Page description language	PCL 5/6; PostScript 3; XPS
Operating systems	Windows Vista (32/64); Windows 7 (32/64); Windows 8 (32/64); Windows 10 (32/64) Windows Server 2008 (32/64); Windows Server 2008 R2; Windows Server 2012; Windows Server 2012 R2; Macintosh OS X 10.x; Linux, Citrix
Printer fonts	89 PCL Latin 91 PostScript 3 Emulation Latin
Print functions	Duplex, n-up, watermark, electronic sorting
Mobile Printing	AirPrint (iOS), ineoPRINT (iOS & Android)

## SYSTEM FEATURES

Security	TCP/UDP port disabling; certificate management; SNMPv3; HTTPS server; SSL protocol; IEEE 802.1x support; SMTP authentication; Secure print (print hold/PIN)
----------	--

<sup>1</sup> If the maximum volume is reached within a period of one year, then a maintenance cycle must be performed

**Cartridge Return Program**

DEVELOP Return Program cartridges are patented print cartridges sold at a discount in exchange for the customer's agreement to the license requirement that the cartridges will be used only once and returned only to manufacturer for remanufacturing or recycling. These patented cartridges are licensed for single use only and will stop working after delivering a fixed amount of toner. Toner may remain in the cartridge when replacement is required.

Replacement cartridges sold without these restrictions (non-returnable cartridges) are also available. Please contact a DEVELOP representative for further details and availability.



**DEVELOP**

Konica Minolta Business Solutions Europe GmbH  
 Europaallee 17 30855 Langenhagen Germany Phone +49 511 7404-0 www.develop.eu



For more information regarding the ineo 4000P please refer to the respective product homepage

All data relating to the paper capacities of the document feeder, the final processing accessories and the paper cassettes apply to paper weighing 80 g/m<sup>2</sup> unless expressly stated otherwise. All data relating to the speed of printing, scanning or faxing apply to paper of an A4 format weighing 80 g/m<sup>2</sup> unless expressly stated otherwise.

All data relating to paper weights apply to media that are recommended by Konica Minolta. All technical data correspond to knowledge available at the time of going to print. Konica Minolta reserves the right to make technical alterations.

DEVELOP and ineo are registered trademarks/product titles owned by Konica Minolta Business Solutions Europe GmbH.

All other brand or product names are registered trademarks or product titles of their respective manufacturers. Konica Minolta does not accept any liability or guarantee for these products.

April 2016